



K8DT-AW3TD

Monitoring relay 17.5mm wide, Single phase over and under current 10 to 200 A AC/ DC, 1 x Transistor, 24 V AC/DC

| | |
|------------------------------|--------------------------------|
| Functions | Over/under current |
| Installation type | DIN Rail |
| Terminal | Push-in |
| Size | 17.5 mm |
| Setting range | 10 to 100 A AC, 20 to 200 A AC |
| Supply voltage AC | 20.4-26.4 V |
| Supply voltage DC | 20.4-26.4 V |
| Output type | Transistor |
| Contact description | Open collector |
| Body color | Black |
| External current transformer | ✓ |

Aksesuarlar



K8AC-CT200L

Current transformer for monitoring relays, high current monitoring capacity



Y92A-D1A

Plastic cover for H3DT & K8DT

CAD Kütüphanesi



EAC Mark removal Üretimden Kaldırılma Bildirimi

EN PDF 221 KB



K8AK/K8DS Series Measuring and Monitoring Relays

Broşür

EN PDF 9,24 MB



K8DT Broşür

TR PDF 2,55 MB



K8DT-AW 1-phase Overcurrent/Undercurrent Relay

Veri Sayfası

EN PDF 3,92 MB



Panel Building Broşür

TR PDF 15,9 MB